




**Proud
of my
equipment**



SHELVING



**Lifetime
limited warranty
against corrosion**



New shelf: Innovative design. Overhanging shelves cover up the upper part of the aluminium bar, for an optimal fit.




Tournus exclusive: there is a space at the edge of the shelves where white board erasable markers can be used to note the contents of the shelf, helps manage the stock of food.




Hygienic: removable shelves, machine washable up to 90°C.



Easy assembly: by tapered self-locking insertion to strengthen the structure.



Load resistance: 200 kg evenly distributed per level.



Modular: in line or corner type assembly.



Easy: 2 hooks per tier whatever the width 400, 500 or 560 mm.



Optimum accessibility: the corner hook does away with the upright so as to store products in the corner. Easy floor cleaning

Stability: adjustable jacks without visible threading (hygienic).

Many accessories: rear protection bar, floor and wall fixing plate, separations.



Shelving entirely
recyclable



Flash on our
documentation !

**TOURNUS
EQUIPEMENT**

ORIGINE
FRANCE
GARANTIE
AFNOR Cert. 65029



**One person alone can assemble 5 metres
in 5 minutes without tools.**






RACKING WITH REMOVABLE SHELVES



Racking with removable shelves consist of shelves and uprights. Rapid assembly process, without tools, by simply snapping into place. Shaped assembly is possible by replacing an upright by corner hooks (2 corner hooks per tier). Load: up to 200 kg by level. NF Hygiene Certified. Operating temperature: -30°C to + 60°C. Shelving is washable in dishwasher (90°C) and fits over the top of the bar: nicer and more stable. It is also possible to write directly on the shelf with an erasable ink pen. Many accessories: Rear protection bar, separations, plates for fixing to the floor and walls.




500 371


Removable polypropylene shelves

2 anodised aluminium bars and high density polypropylene shelves.

Lengths (mm)	Width 400 mm Ref.	Width 500 mm Ref.	Width 560 mm (GN) Ref.
608	<u>500 366</u>	<u>500 386</u>	<u>500 416</u>
708	<u>500 367</u>	<u>500 387</u>	<u>500 417</u>
808	<u>500 368</u>	<u>500 388</u>	<u>500 418</u>
910	<u>500 369</u>	<u>500 389</u>	<u>500 419</u>
1010	<u>500 370</u>	<u>500 390</u>	<u>500 420</u>
1110	<u>500 371</u>	<u>500 391</u>	<u>500 421</u>
1210	<u>500 372</u>	<u>500 392</u>	<u>500 422</u>
1312	<u>500 373</u>	<u>500 393</u>	<u>500 423</u>
1412	<u>500 374</u>	<u>500 394</u>	<u>500 424</u>
1512	<u>500 375</u>	<u>500 395</u>	<u>500 425</u>
1612	<u>500 376</u>	<u>500 396</u>	<u>500 426</u>
1714	<u>500 377</u>	<u>500 397</u>	<u>500 427</u>



500 471



500 683

Removable aluminium shelves

2 anodised aluminium bars and anodised aluminium shelves.

Lengths (mm)	Width 400 mm Ref.	Width 500 mm Ref.	Width 560 mm (GN) Ref.
608	<u>500 466</u>	<u>500 516</u>	<u>500 666</u>
708	<u>500 467</u>	<u>500 517</u>	<u>500 667</u>
808	<u>500 468</u>	<u>500 518</u>	<u>500 668</u>
910	<u>500 469</u>	<u>500 519</u>	<u>500 669</u>
1010	<u>500 470</u>	<u>500 520</u>	<u>500 670</u>
1110	<u>500 471</u>	<u>500 521</u>	<u>500 671</u>
1210	<u>500 472</u>	<u>500 522</u>	<u>500 672</u>
1312	<u>500 473</u>	<u>500 523</u>	<u>500 673</u>
1412	<u>500 474</u>	<u>500 524</u>	<u>500 674</u>
1512	<u>500 475</u>	<u>500 525</u>	<u>500 675</u>
1612	<u>500 476</u>	<u>500 526</u>	<u>500 676</u>
1714	<u>500 477</u>	<u>500 527</u>	<u>500 677</u>

Polypropylene solid shelves


2 anodised aluminium bars and polypropylene solid shelves supprimer anodised aluminium shelves.

Lengths (mm)	Width 400 mm Ref.	Width 500 mm	Width 560 mm (GN) Ref.
608	<u>500 681</u>	1210	<u>500 687</u>
708	<u>500 682</u>	1312	<u>500 688</u>
808	<u>500 683</u>	1412	<u>500 689</u>
910	<u>500 684</u>	1512	<u>500 690</u>
1010	<u>500 685</u>	1612	<u>500 691</u>
1110	<u>500 686</u>	1714	<u>500 692</u>

THE
TOURNUS
ASSET

- Even more storage capacities.
- Solid shelves and shelves compatible with other models: possibility to mix shelves.

When ordering shelves for extra tiers, include for additional fixing studs.



Consult'Express



Your shipping date



500 124

Uprights

In aluminium with screwed fixing studs determining the number of tiers.

Height 1750 mm	Width 400 mm Ref.	Width 500 mm Ref.	Width 560 mm (GN) Ref.
3 tier	<u>500 103</u>	<u>500 123</u>	<u>500 153</u>
4 tier	<u>500 104</u>	<u>500 124</u>	<u>500 154</u>
5 tier	<u>500 105</u>	<u>500 125</u>	<u>500 155</u>
Height 2050 mm	Width 400 mm Ref.	Width 500 mm Ref.	Width 560 mm (GN) Ref.
4 tier	<u>500 214</u>	<u>500 224</u>	<u>500 234</u>
5 tier	<u>500 215</u>	<u>500 225</u>	<u>500 235</u>
6 tier	<u>500 216</u>	<u>500 226</u>	<u>500 236</u>



Uprights on wheels*

2 swivel wheels with ball bearings diameter 125 mm polyamid cover including 1 brake. Load maxi 100 kg/level.


Upright Height 1750 mm	Width 400 mm Ref.	Width 500 mm Ref.	Width 560 mm (GN) Ref.
3 tier with wheels	-	<u>500 133</u>	<u>500 163</u>
4 tier with wheels	-	<u>500 134</u>	<u>500 164</u>
5 tier with wheels	-	<u>500 135</u>	<u>500 165</u>

* The overall length of an assembly on wheels is increased by 39 mm due to the volume taken up by the bumpers.

WHAT'S
NEW?

Dunnage rack

2 low uprights + 1 polypropylene shelf.



500 847

Description	Overall dim. L x W x H (mm)	Référence
Dunnage rack 1 tier	890 x 500 x 300	<u>500 844</u>
Dunnage rack 1 tier	1192 x 500 x 300	<u>500 847</u>
Dunnage rack 1 tier	1494 x 500 x 300	<u>500 850</u>
Dunnage rack 1 tier	890 x 560 x 300	500 854
Dunnage rack 1 tier	1192 x 560 x 300	500 857
Dunnage rack 1 tier	1494 x 560 x 300	500 860

Racks can be wired around a corner.



COMPLETE SHELVING LINEAR ASSEMBLY

Height 1750 mm - Polypropylene shelves

To place an order: please indicate the depth code followed by the overall length.



PLE 1594

Depth Length

For lengths less than 1000 mm, add a 0 in front of the length (e.g. PLA0992)

For shelving on wheels: (500 and 560 mm deep only). Add the suffix R at the end of the reference (e.g.: PLE 1594R). Price of the whole combination on wheels: additional cost for every upright to the price of the whole combination per leg (above). The overall length of an assembly on wheels is increased by 39 mm due to the volume taken up by the bumpers.



Depth 560 mm: GN

Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		3 tier PLA	4 tier PLB	5 tier PLC	3 tier PLD	4 tier PLE	5 tier PLF	3 tier PLG	4 tier PLH	5 tier PLI
690	608									
790	708									
890	808									
992	910									
1092	1010									
1192	1110									
1292	1210									
1394	1312									
1494	1412									
1594	1512									
1694	1612									
1728	808+808									
1796	1714									
1830	808+910									
1932	910+910									
2032	910+1010									
2132	1010+1010									
2232	910+1210									
2334	910+1312									
2432	1110+1210									
2532	1210+1210									
2634	1210+1312									
2736	1312+1312									
2834	1210+1512									
2936	1312+1512									
3036	1412+1512									
3136	1512+1512									
3172	1010+1010+1010									
3236	1512+1612									
3272	910+1110+1110									
3336	1612+1612									
3372	1010+1110+1110									
3438	1612+1714									
3472	1010+1110+1210									
3540	1714+1714									
3572	1110+1110+1210									
3674	1110+1110+1312									
3772	1210+1210+1210									
3812	910+910+910+910									
3876	1110+1312+1312									
3912	910+910+910+1010									
3976	1210+1312+1312									
4078	1312+1312+1312									
4178	1312+1312+1412									
4278	1312+1312+1512									
4378	1412+1412+1412									
4478	1312+1512+1512									
4578	1412+1512+1512									
4612	1110+1110+1110+1110									
4678	1312+1612+1612									
4712	1110+1110+1110+1210									
4778	1512+1512+1612									
4814	1110+1110+1110+1312									
4878	1512+1612+1612									
4914	1110+1110+1210+1312									
4978	1612+1612+1612									

COMPLETE SHELVING LINEAR ASSEMBLY

Height 2050 mm - Polypropylene shelves

To place an order:


please indicate depth code followed by the overall length required.



PLN 1594

Depth Length

For lengths less than 1000 mm,
add a 0 in front of the length
(e.g. PLJ0992)



Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		4 tier PLJ	5 tier PLK	6 tier PLL	4 tier PLM	5 tier PLN	6 tier PLO	4 tier PLP	5 tier PLQ	6 tier PLR
690	608									
790	708									
890	808									
992	910									
1092	1010									
1192	1110									
1292	1210									
1394	1312									
1494	1412									
1594	1512									
1694	1612									
1728	808+808									
1796	1714									
1830	808+910									
1932	910+910									
2032	910+1010									
2132	1010+1010									
2232	910+1210									
2334	910+1312									
2432	1110+1210									
2532	1210+1210									
2634	1210+1312									
2736	1312+1312									
2834	1210+1512									
2936	1312+1512									
3036	1412+1512									
3136	1512+1512									
3172	1010+1010+1010									
3236	1512+1612									
3272	910+1110+1110									
3336	1612+1612									
3372	1010+1110+1110									
3438	1612+1714									
3472	1010+1110+1210									
3540	1714+1714									
3572	1110+1110+1210									
3674	1110+1110+1312									
3772	1210+1210+1210									
3812	910+910+910+910									
3876	1110+1312+1312									
3912	910+910+910+1010									
3976	1210+1312+1312									
4078	1312+1312+1312									
4178	1312+1312+1412									
4278	1312+1312+1512									
4378	1412+1412+1412									
4478	1312+1512+1512									
4578	1412+1512+1512									
4612	1110+1110+1110+1110									
4678	1312+1612+1612									
4712	1110+1110+1110+1210									
4778	1512+1512+1612									
4814	1110+1110+1110+1312									
4878	1512+1612+1612									
4914	1110+1110+1210+1312									
4978	1612+1612+1612									

ADDITIONAL SHELVING ANGLE

Height 2050 mm - Polypropylene shelves

To place an order:

please indicate depth code followed by the overall length required.



PCN 1553

Depth Length

For lengths less than 1000 mm, add a 0 in front of the length (e.g. PCJ0951)

The reference and the price includes the angle hooks.



Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		4 tier PCJ	5 tier PCK	6 tier PCL	4 tier PCM	5 tier PCN	6 tier PCO	4 tier PCP	5 tier PCQ	6 tier PCR
649	608									
749	708									
849	808									
951	910									
1051	1010									
1151	1110									
1251	1210									
1353	1312									
1453	1412									
1553	1512									
1653	1612									
1687	808+808									
1755	1714									
1789	808+910									
1891	910+910									
1991	910+1010									
2091	1010+1010									
2191	910+1210									
2293	910+1312									
2391	1110+1210									
2491	1210+1210									
2593	1210+1312									
2695	1312+1312									
2793	1210+1512									
2895	1312+1512									
2995	1412+1512									
3095	1512+1512									
3131	1010+1010+1010									
3195	1512+1612									
3231	910+1110+1110									
3295	1612+1612									
3331	1010+1110+1110									
3397	1612+1714									
3431	1010+1110+1210									
3499	1714+1714									
3531	1110+1110+1210									
3633	1110+1110+1312									
3731	1210+1210+1210									
3771	910+910+910+910									
3835	1110+1312+1312									
3871	910+910+910+1010									
3935	1210+1312+1312									
4037	1312+1312+1312									
4137	1312+1312+1412									
4237	1312+1312+1512									
4337	1412+1412+1412									
4437	1312+1512+1512									
4537	1412+1512+1512									
4571	1110+1110+1110+1110									
4637	1312+1612+1612									
4671	1110+1110+1110+1210									
4737	1512+1512+1612									
4773	1110+1110+1110+1312									
4837	1512+1612+1612									
4873	1110+1110+1210+1312									

COMPLETE SHELVING LINEAR ASSEMBLY

Height 1750 mm - Anodised aluminium shelves



To place an order:

please indicate depth code followed by the overall length required.



For lengths less than 1000 mm,
add a 0 in front of the length
(e.g. ALA0992)

For a shelving on wheels: (depth 500 and 560 mm only) add the suffix R at the end of the reference (ex: ALA1594R). Price of the whole combination on wheels: additional cost for every upright to the price of the whole combination per leg (above). The overall length of an assembly on wheels is increased by 39 mm due to the volume taken up by the bumper.



Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		3 tier ALA	4 tier ALB	5 tier ALC	3 tier ALD	4 tier ALE	5 tier ALF	3 tier ALG	4 tier ALH	5 tier ALI
690	608									
790	708									
890	808									
992	910									
1092	1010									
1192	1110									
1292	1210									
1394	1312									
1494	1412									
1594	1512									
1694	1612									
1728	808+808									
1796	1714									
1830	808+910									
1932	910+910									
2032	910+1010									
2132	1010+1010									
2232	910+1210									
2334	910+1312									
2432	1110+1210									
2532	1210+1210									
2634	1210+1312									
2736	1312+1312									
2834	1210+1512									
2936	1312+1512									
3036	1412+1512									
3136	1512+1512									
3172	1010+1010+1010									
3236	1512+1612									
3272	910+1110+1110									
3336	1612+1612									
3372	1010+1110+1110									
3438	1612+1714									
3472	1010+1110+1210									
3540	1714+1714									
3572	1110+1110+1210									
3674	1110+1110+1312									
3772	1210+1210+1210									
3812	910+910+910+910									
3876	1110+1312+1312									
3912	910+910+910+1010									
3976	1210+1312+1312									
4078	1312+1312+1312									
4178	1312+1312+1412									
4278	1312+1312+1512									
4378	1412+1412+1412									
4478	1312+1512+1512									
4578	1412+1512+1512									
4612	1110+1110+1110+1110									
4678	1312+1612+1612									
4712	1110+1110+1110+1210									
4778	1512+1512+1612									
4814	1110+1110+1110+1312									
4878	1512+1612+1612									
4914	1110+1110+1210+1312									
4978	1612+1612+1612									

ADDITIONAL SHELVING ANGLE

Height 1750 mm - Anodised aluminium shelves

To place an order:

please indicate depth code followed by the overall length required.



ACE 1553

Depth Length

For lengths less than 1000 mm, add a 0 in front of the length (e.g. ACA0951)



The reference and the price includes the angle hooks.

Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		3 tier ACA	4 tier ACB	5 tier ACC	3 tier ACD	4 tier ACE	5 tier ACF	3 tier ACG	4 tier ACH	5 tier ACI
649	608									
749	708									
849	808									
951	910									
1051	1010									
1151	1110									
1251	1210									
1353	1312									
1453	1412									
1553	1512									
1653	1612									
1687	808+808									
1755	1714									
1789	808+910									
1891	910+910									
1991	910+1010									
2091	1010+1010									
2191	910+1210									
2293	910+1312									
2391	1110+1210									
2491	1210+1210									
2593	1210+1312									
2695	1312+1312									
2793	1210+1512									
2895	1312+1512									
2995	1412+1512									
3095	1512+1512									
3131	1010+1010+1010									
3195	1512+1612									
3231	910+1110+1110									
3295	1612+1612									
3331	1010+1110+1110									
3397	1612+1714									
3431	1010+1110+1210									
3499	1714+1714									
3531	1110+1110+1210									
3633	1110+1110+1312									
3731	1210+1210+1210									
3771	910+910+910+910									
3835	1110+1312+1312									
3871	910+910+910+1010									
3935	1210+1312+1312									
4037	1312+1312+1312									
4137	1312+1312+1412									
4237	1312+1312+1512									
4337	1412+1412+1412									
4437	1312+1512+1512									
4537	1412+1512+1512									
4571	1110+1110+1110+1110									
4637	1312+1612+1612									
4671	1110+1110+1110+1210									
4737	1512+1512+1612									
4773	1110+1110+1110+1312									
4837	1512+1612+1612									
4873	1110+1110+1210+1312									

COMPLETE SHELVING LINEAR ASSEMBLY

Height 2050 mm - Anodised aluminium shelves

To place an order:

please indicate depth code followed by the overall length required.



ALN 1594

Depth Length

For lengths less than 1000 mm,
add a 0 in front of the length
(e.g. ALJ0992)



Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		4 tier ALJ	5 tier ALK	6 tier ALL	4 tier ALM	5 tier ALN	6 tier ALO	4 tier ALP	5 tier ALQ	6 tier ALR
690	608									
790	708									
890	808									
992	910									
1092	1010									
1192	1110									
1292	1210									
1394	1312									
1494	1412									
1594	1512									
1694	1612									
1728	808+808									
1796	1714									
1830	808+910									
1932	910+910									
2032	910+1010									
2132	1010+1010									
2232	910+1210									
2334	910+1312									
2432	1110+1210									
2532	1210+1210									
2634	1210+1312									
2736	1312+1312									
2834	1210+1512									
2936	1312+1512									
3036	1412+1512									
3136	1512+1512									
3172	1010+1010+1010									
3236	1512+1612									
3272	910+1110+1110									
3336	1612+1612									
3372	1010+1110+1110									
3438	1612+1714									
3472	1010+1010+1210									
3540	1714+1714									
3572	1110+1110+1210									
3674	1110+1110+1312									
3772	1210+1210+1210									
3812	910+910+910+910									
3876	1110+1312+1312									
3912	910+910+910+1010									
3976	1210+1312+1312									
4078	1312+1312+1312									
4178	1312+1312+1412									
4278	1312+1312+1512									
4378	1412+1412+1412									
4478	1312+1512+1512									
4578	1412+1512+1512									
4612	1110+1110+1110+1110									
4678	1312+1612+1612									
4712	1110+1110+1110+1210									
4778	1512+1512+1612									
4814	1110+1110+1110+1312									
4878	1512+1612+1612									
4914	1110+1110+1210+1312									
4978	1612+1612+1612									

ADDITIONAL SHELVING ANGLE

Height 2050 mm - Anodised aluminium shelves

To place an order: please indicate depth code followed by the overall length required.



ACN 1553

Depth Length

For lengths less than 1000 mm, add a 0 in front of the length (e.g. ACJ0951)

The reference and the price includes the angle hooks.




Overall length (mm)	Combinations	Depth 400 mm			Depth 500 mm			Depth 560 mm GN Size		
		4 tier ACJ	5 tier ACK	6 tier ACL	4 tier ACM	5 tier ACN	6 tier ACO	4 tier ACP	5 tier ACQ	6 tier ACR
649	608									
749	708									
849	808									
951	910									
1051	1010									
1151	1110									
1251	1210									
1353	1312									
1453	1412									
1553	1512									
1653	1612									
1687	808+808									
1755	1714									
1789	808+910									
1891	910+910									
1991	910+1010									
2091	1010+1010									
2191	910+1210									
2293	910+1312									
2391	1110+1210									
2491	1210+1210									
2593	1210+1312									
2695	1312+1312									
2793	1210+1512									
2895	1312+1512									
2995	1412+1512									
3095	1512+1512									
3131	1010+1010+1010									
3195	1512+1612									
3231	910+1110+1110									
3295	1612+1612									
3331	1010+1110+1110									
3397	1612+1714									
3431	1010+1110+1210									
3499	1714+1714									
3531	1110+1110+1210									
3633	1110+1110+1312									
3731	1210+1210+1210									
3771	910+910+910+910									
3835	1110+1312+1312									
3871	910+910+910+1010									
3935	1210+1312+1312									
4037	1312+1312+1312									
4137	1312+1312+1412									
4237	1312+1312+1512									
4337	1412+1412+1412									
4437	1312+1512+1512									
4537	1412+1512+1512									
4571	1110+1110+1110+1110									
4637	1312+1612+1612									
4671	1110+1110+1110+1210									
4737	1512+1512+1612									
4773	1110+1110+1110+1312									
4837	1512+1612+1612									
4873	1110+1110+1210+1312									

COMPLETE SHELVING WITH **SOLID SHELVES** ON ALL LEVELS

Height 1750 mm - Polypropylene solid shelves

To place an order:

please indicate depth code followed by the overall length required.



For lengths less than 1000 mm,
add a 0 in front of the length
(e.g. TLD0992)



Combinations	LINEAR ASSEMBLY				CORNER ASSEMBLY			
	Overall length (mm)	Depth 500 mm			Overall length (mm)	Depth 500 mm		
		3 tier TLD	4 tier TLE	5 tier TLF		3 tier TCD	4 tier TCE	5 tier TCF
608	690							
708	790							
808	890							
910	992							
1010	1092							
1110	1192							
1210	1292							
1312	1394							
1412	1494							
1512	1594							
1612	1694							
808+808	1728							
1714	1796							
808+910	1830							
910+910	1932							
910+1010	2032							
1010+1010	2132							
910+1210	2232							
910+1312	2334							
1110+1210	2432							
1210+1210	2532							
1210+1312	2634							
1312+1312	2736							
1210+1512	2834							
1312+1512	2936							
1412+1512	3036							
1512+1512	3136							
1010+1010+1010	3172							
1512+1612	3236							
910+1110+1110	3272							
1612+1612	3336							
1010+1110+1110	3372							
1612+1714	3438							
1010+1110+1210	3472							
1714+1714	3540							
1110+1110+1210	3572							
1110+1110+1312	3674							
1210+1210+1210	3772							
910+910+910+910	3812							
1110+1312+1312	3876							
910+910+910+1010	3912							
1210+1312+1312	3976							
1312+1312+1312	4078							
1312+1312+1412	4178							
1312+1312+1512	4278							
1412+1412+1412	4378							
1312+1512+1512	4478							
1412+1512+1512	4578							
1110+1110+1110+1110	4612							
1312+1612+1612	4678							
1110+1110+1110+1210	4712							
1512+1512+1612	4778							
1110+1110+1110+1312	4814							
1512+1612+1612	4878							
1110+1110+1210+1312	4914							
1612+1612+1612	4978							

COMBINED SETS: SOLID SHELVES AND PERFORATED SHELVES

Height 1750 mm - Polypropylene shelves

The lower level is composed of solid shelves and the other levels consist of perforated shelves

To place an order: please indicate depth code followed by the overall length required.



MLE 1594

Depth

Length

For lengths less than 1000 mm,
add a 0 in front of the length
(e.g. MLD0992)

Solid shelf
protects
products from
moisture when
cleaning the
floor.



LINEAR ASSEMBLY

CORNER ASSEMBLY

Combinations	Overall length (mm)	Depth 500 mm			Overall length (mm)	Depth 500 mm		
		3 tier MLD	4 tier MLE	5 tier MLF		3 tier MCD	4 tier MCE	5 tier MCF
608	690							
708	790							
808	890							
910	992							
1010	1092							
1110	1192							
1210	1292							
1312	1394							
1412	1494							
1512	1594							
1612	1694							
808+808	1728							
1714	1796							
808+910	1830							
910+910	1932							
910+1010	2032							
1010+1010	2132							
910+1210	2232							
910+1312	2334							
1110+1210	2432							
1210+1210	2532							
1210+1312	2634							
1312+1312	2736							
1210+1512	2834							
1312+1512	2936							
1412+1512	3036							
1512+1512	3136							
1010+1010+1010	3172							
1512+1612	3236							
910+1110+1110	3272							
1612+1612	3336							
1010+1110+1110	3372							
1612+1714	3438							
1010+1110+1210	3472							
1714+1714	3540							
1110+1110+1210	3572							
1110+1110+1312	3674							
1210+1210+1210	3772							
910+910+910+910	3812							
1110+1312+1312	3876							
910+910+910+1010	3912							
1210+1312+1312	3976							
1312+1312+1312	4078							
1312+1312+1412	4178							
1312+1312+1512	4278							
1412+1412+1412	4378							
1312+1512+1512	4478							
1412+1512+1512	4578							
1110+1110+1110+1110	4612							
1312+1612+1612	4678							
1110+1110+1110+1210	4712							
1512+1512+1612	4778							
1110+1110+1110+1312	4814							
1512+1612+1612	4878							
1110+1110+1210+1312	4914							
1612+1612+1612	4978							




ACCESSORIES



Rear protection bar



Pan under shelving




701 089


Description	Reference
Corner unit	123 014
Supplementary stud (each)	800 711
1/1 GN pan holder with tray runners (34 mm height gap between)	500 817
Hook-on label -holder	500 813
Floor fixing plate	118 728
Wall fixing plate	120 797
Separation width 400 mm (per pair)	500 814
Separation width 500 mm (per pair)	500 815
Separation width 560 mm (per pair)	500 816
Rear protection bar, length 808 mm	500 783
Rear protection bar, length 910 mm	500 784
Rear protection bar, length 1010 mm	500 785
Rear protection bar, length 1110 mm	500 786
Rear protection bar, length 1210 mm	500 787
Rear protection bar, length 1312 mm	500 788
Rear protection bar, length 1412 mm	500 789
Rear protection bar, length 1512 mm	500 790
Rear protection bar, length 1612 mm	500 791
Rear protection bar, length 1714 mm	500 792
Drip container for racking with shelves, height 40 mm, the linear meter	701 089
Polypropylene grids W 397 × L 300 mm	230 643
Polypropylene grids W 397 × L 400 mm	230 644
Polypropylene grids W 497 × L 300 mm	230 653
Polypropylene grids W 497 × L 400 mm	230 654
Polypropylene grids W 567 × L 300 mm	230 663
Polypropylene grids W 567 × L 400 mm	230 664
Anodised aluminium grids W 397 × L 300 mm	124 532
Anodised aluminium grids W 397 × L 400 mm	124 533
Anodised aluminium grids W 497 × L 300 mm	124 534
Anodised aluminium grids W 497 × L 400 mm	124 535
Anodised aluminium grids W 567 × L 300 mm	124 536
Anodised aluminium grids W 567 × L 400 mm	124 537
Polypropylene solid grids W 497 × L 300 mm	230 655
Polypropylene solid grids W 497 × L 400 mm	230 656




230 653



124 534



230 656



Consult'Express





Your shipping date

MOBILE SHELVING WITH GUIDANCE RAIL

Combinations made up of 2 fixed shelving units placed on the ends connected by 2 guide bars fixed on the upper sides. In the middle, several shelves are arranged on fixed wheels turned to the inside, which can slide freely. 5 tier shelving, height 2050 mm, with polypropylene removable shelves. The unit length varies from 2.5 m to 6 metres. A minimum access space of 80 cm must be provided between the shelvings. Load maxi 100 kg/level.

To place an order, please provide a plan of the room, indicating the position of the shelving, the location of the doors and any existing evaporators.



Crosspiece of reinforcement on every mobile upright

Description	Length (mm)	Overall length (mm)	Depth 500 mm Ref.	Depth 560 mm Ref.
2 guidance rails, linear metre*			604 900	604 901
Fixed shelving	1010	1150	PLN 1150 MF	PLQ 1150 MF
Fixed shelving	1210	1350	PLN 1350 MF	PLQ 1350 MF
Fixed shelving	1412	1552	PLN 1552 MF	PLQ 1552 MF
Shelving on wheels	1010	1150	PLN 1150 MR	PLQ 1150 MR
Shelving on wheels	1210	1350	PLN 1350 MR	PLQ 1350 MR
Shelving on wheels	1412	1552	PLN 1552 MR	PLQ 1552 MR

* Please specify the length (minimum 2.50 metres, maximum 6 metres)




PALLETS


Stackable polyethylene pallets, food quality. Maximum load (static): 4 tons (reference 806 105), 500 kg (reference 806 106).



806 106

Description	Overall dimensions W × l (mm)	Reference
Polyethylene pallet, grey flat base	1200 × 800	<u>806 105</u>
Polyethylene pallet, black slatted base	1200 × 800	<u>806 106</u>





Consult'Express



Your shipping date

RACKING UNITS



805 704



ALH 1192

Racking units with s/steel tubes

Stainless steel welded construction. Height 1800 mm. Uprights made in tubes 30 x 30 mm. 4 shelves in tubes 25 x 25 mm. Load: 200 kg per level (with a maximum of 400 kg for all the wheels).

Racking units include 4 adjustable feet, racking units on wheels are equipped with 4 wheels Ø 125 mm including 2 with brakes.

Description	Overall dim. W x l (mm)	Racking units on legs	Racking units on wheels
Racking units, 4 levels	600 x 1000	<u>805 704</u>	<u>825 704</u>
Racking units, 4 levels	600 x 1400	<u>805 705</u>	<u>825 705</u>
Racking units, 4 levels	600 x 1800	<u>805 706</u>	<u>825 706</u>

Racking units with aluminium shelves

Racking units made in anodised aluminium. Easy assembly by tapered self-locking insertion without tools. Load: up to 150 kg per level.

Certification NF-Hygiene Alimentaire.

Description	Overall dim. W. x l (mm)	Reference
Racking unit 3 levels	560 x 1200	<u>ALG 1192</u>
Racking unit 4 levels	560 x 1200	<u>ALH 1192</u>
Racking unit 3 levels	560 x 1500	<u>ALG 1494</u>
Racking unit 4 levels	560 x 1500	<u>ALH 1494</u>





RACKING WITH TRAYS

Racking shelves are made of tubes and either solid or perforated trays. Height adjustment is facilitated by markers engraved on the tube. Load: 200 kg by level. Hygiene Certified.



Adjustable height shelving connection.


Trays

Dimensions (mm)	ALUMINIUM	STAINLESS STEEL	
	Solid trays	Solid trays	Perforated trays
	Ref.	Ref.	Ref.
A 610 × 400	805 611		
D 715 × 400	805 618		
F 930 × 400	805 614		
B 1150 × 400	805 612		
E 1255 × 400	805 619		
C 1365 × 400	805 613		
A 610 × 500	805 651	805 671	805 681
D 715 × 500	805 658	805 678	805 688
F 930 × 500	805 660	805 680	805 687
B 1150 × 500	805 652	805 672	805 682
E 1255 × 500	805 659	805 679	805 689
C 1365 × 500	805 653	805 673	805 683
A 610 × 650	805 654	805 674	
B 1150 × 650	805 655	805 675	
C 1365 × 650	805 656	805 676	



Uprights

Description	Reference
Stainless steel tube height 1780 mm Ø 32 mm with jack	805 677



Consult'Express



Your shipping date

4 TIER COMBINATIONS

Combinations of elements consisting 4 trays and 4 tubes (positioned side by side). The table below indicates the more cost effective price combinations. Each column is identified by a 2 letters prefix (EA, EC, ED...).

To place an order: please indicate depth code followed by the overall length required.



Module A.....Overall length 655 mm
Module D.....Overall length 760 mm
Module FOverall length 975 mm
Module BOverall length 1195 mm
Module EOverall length 1300 mm
Module C.....Overall length 1410 mm

**For lengths less than 1000 mm,
add a 0 in front of the length
(e.g. EA0655)**

Overall length (mm)	Combinations	Width 400 (overall 445 mm)	Width 500 (overall 545 mm)				Width 650 mm (overall 695 mm)	
		Aluminium trays with s/steel tubes	Aluminium trays with s/steel tubes	S/steel trays and tubes			Aluminium trays with s/steel tubes	S/steel trays and tubes
		Solid trays EA	Solid trays EC	Solid trays ED	Perforated trays EE		Solid trays EF	Solid trays EG
655	A							
760	D							
975	F							
1195	B							
1300	E							
1410	C							
1520	2D							
1630	A+F							
1735	D+F							
1850	A+B							
1950	2F							
2065	A+C							
2170	B+F							
2275	E+F							
2385	C+F							
2495	B+E							
2605	2F+A							
2710	C+E							
2820	2C							
2925	3F							
3045	2B+A							
3150	2B+D							
3250	2F+E							
3365	2B+F							
3470	B+E+F							
3585	3B							
3690	2B+E							
3795	2C+F							
3900	3E							
4015	2C+B							
4120	2C+E							
4230	3C							
4335	C+3F							
4450	2B+E+D							
4560	3B+F							
4665	2B+E+F							
4770	2C+2F							
4885	3B+E							
4995	3B+C							
5095	3E+B							

EXPORT TEAM



Romain BRETON
Export Director
Northern Europe
Mob: + 33 6 83 66 30 85
rbreton@tournus.com

Frédéric DOUX
Benelux, Switzerland,
Caribbean
Mob: + 33 6 07 27 10 53
fdoux@tournus.com

Giorgia STEFANI
Italy
Mob: + 39 338 498 50 09
gstefani@tournus.com

Georges WARDE
Middle East, Africa, Asia
Mob: + 33 6 11 17 53 98
gwarde@tournus.com

Vibin THOMAS
UAE, Oman, Kuwait, Bahrain
Mob: + 971 56 441 78 40
vthomas@tournus.com

Claudia SCHMITT
Germany
Mob: + 49 176 81009375
claudia.schmitt@vskraus.de

BACK OFFICE

Carine VILLANI
Mob: + 33 3 85 27 42 43
cvillani@tournus.com

Emeline RAVET
Tel : + 33 3 85 27 42 74
eravet@tournus.com

Virginie POITOUX
Mob: + 33 3 85 27 42 65
vpoitoux@tournus.com

TOURNUS EQUIPEMENT
25 avenue Jean Moulin
CS 20005
71700 TOURNUS - FRANCE

Code APE2893 Z - RC Mâcon B383 567 104
Fax : + 33 3 85 27 42 60
export@tournus.com

www.tournus.com

Non-contractual documents. The specifications given are subject to change with a view to improvement. • 05/2024 - EN100213-0

Join us...

