

CATERING UNITS

MAY 2023

TOURNUS
EQUIPEMENT



The range of catering units is destined for small catering establishments and restaurants. Of good quality, corresponding to the Tournus standard production.

CATERING UNITS



CATERING TABLES

- **Catering tables:** Safety and style: straight edges 40 mm high, flattened surround.
- **Rigid:** work surface, 1.2 mm thick, with water-repellent laminated panel and aluminium frame.
- **Easy assembly:** easy self-locking push fitting. Patented system.
- **Easy installation:** legs in at the rear for tables with backs (60 mm)

CATERING SINKS

- **Eye-catching:** strip 40 mm high and splashback bent like the tables and units of the range.
- **Comfort:** sound-proofed sink and draining board.
- **Easy assembly:** legs and container cover assembled using screws.
- **Easy installation:** legs in at the rear for tables with backs (80 mm).



CATERING UNITS

- **Comfort:** lined, sliding doors suspended from a rail fitted on the top part, with end-of-travel stop block.
- **Easy installation:** units supplied on pallet with screw jacks (adjustment range: 50 mm).
- **Modular:** adjustable shelf.

CATERING SHELVES

- **Simple installation:** independent brackets, fixed by screw and plug in wall bracket. Offset from wall by 40 mm to allow for clearance for pipes.
- **Modular:** container support possible (containers supplied).



Flash on our documentation !

ORIGINE
FRANCE
GARANTIE

AFNOR Cert. 65029



The range of catering units is destined for small catering establishments and restaurants. Of good quality, corresponding to the Tournus standard production, the range is made entirely out of stainless steel plate. The range has a limited selection of dimensions and no made to measure orders are accepted.

CATERING TABLES

Stainless steel work surface, thickness 1,2 mm, with water repellent panel, and reinforced with a profile frame. Edge strip height 40 mm with straight edges. Stainless steel legs Ø 38 mm, set in by 65 mm to the rear on tables with splash back, and 55 mm on central tables, with adjustable jacks. Height 900 mm (+0/30 mm). Flattened folds used throughout for the work surface, upstand, and shelf. Delivered in flat pack under plastic film. Very easy assembly, by interlocking.



503 201



503 204



523 264



503 304

Tables on legs

Overall dim. W X I (mm)	Central		Central with shelf		With upstand		With upstand and shelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
700 x 700	503 201		503 241		–	–	–	–
700 x 1000	503 202		503 242		503 222		503 262	
700 x 1200	503 203		503 243		503 223		503 263	
700 x 1400	503 204		503 244		503 224		503 264	
700 x 1600	503 206		503 246		503 226		503 266	
700 x 1800	503 207		503 247		503 227		503 267	
700 x 2000	503 209		503 249		503 229		503 269	

Tables on wheels

4 swivel wheels Ø 125 mm with polyamide cover including 2 brakes.

Overall dim. W X I (mm)	Central		Central with shelf		With upstand		With upstand and shelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
700 x 1000	523 202		523 242		523 222		523 262	
700 x 1200	523 203		523 243		523 223		523 263	
700 x 1400	523 204		523 244		523 224		523 264	
700 x 1600	523 206		523 246		523 226		523 266	
700 x 1800	523 207		523 247		523 227		523 267	
700 x 2000	523 209		523 249		523 229		523 269	

Catering chef's tables without tap

Chef's tables without tap (mm)	Overall	With upstand		With upstand and shelf	
		Ref.	Price	Ref.	Price
Left sink	700 x 1200	503 283		503 303	
Left sink	700 x 1400	503 284		503 304	
Left sink	700 x 1600	503 286		503 306	
Right sink	700 x 1200	503 323		503 343	
Right sink	700 x 1400	503 324		503 344	
Right sink	700 x 1600	503 326		503 346	



Consult'Express



Your shipping date




503 314

Catering chef's table with tap

Mixer tap, ref. 230 300, 15 x 21, 30 l/mn

Chef's tables with tap	Overall dim. W x l (mm)	With upstand		With upstand + undershelf	
		Ref.	Price	Ref.	Price
Left sink	700 x 1200	<u>503 293</u>		<u>503 313</u>	
Left sink	700 x 1400	<u>503 294</u>		<u>503 314</u>	
Left sink	700 x 1600	<u>503 296</u>		<u>503 316</u>	
Right sink	700 x 1200	<u>503 333</u>		<u>503 353</u>	
Right sink	700 x 1400	<u>503 334</u>		<u>503 354</u>	
Right sink	700 x 1600	<u>503 336</u>		<u>503 356</u>	



503 520

Options for catering tables

Description	Reference	Price
Drawer with panel + polypropylene tray	<u>503 520</u>	






CATERING SINKS

Stainless steel construction, height 900 mm. Front edge height 40 mm. Folded upstand height 100 mm. Legs Ø 38 mm with jack, 80 mm indent at rear. Grooved draining boards, anti-drip edges. Soundproofed basins and draining boards. Delivered flat packed in carton.









503 611

Catering sinks - basins 400 x 500 mm

Description	Overall dim. W x l (mm)	without tap		With tap (ref. 230 300)	
		Ref.	Price	Ref.	Price
2 basins + right draining board 	700 x 1600	503 601		503 611	




Catering sinks - basins 600 x 500 mm

Description	Overall dim. W x l (mm)	Without tap		With tap (ref. 230 300)	
		Ref.	Price	Ref.	Price
1 basin 	700 x 800	503 602		503 612	
1 basin + right draining board 	700 x 1400	503 603		503 613	
1 basin + left draining board 	700 x 1400	503 609		503 619	
2 basins 	700 x 1400	503 606		503 616	
2 basins + right draining board 	700 x 1900	503 607		503 617	
2 basins + left draining board 	700 x 1900	503 608		503 618	




503 614

Catering sinks for dishwasher

Description	Overall dim. W x l (mm)	Without tap		With tap (ref. 230 300)	
		Ref.	Price	Ref.	Price
1 basin 500 x 500 + right left draining board 	700 x 1200	503 610		503 620	
1 basin 500 x 500 + left draining board 	700 x 1200	503 605		503 615	
2 basins 400 x 500 + left draining board 	700 x 1600	503 604		503 614	

Catering sinks - basins 400 x 500 + shelf

Description	Overall dim. W x l (mm)	Without tap		With tap (ref. 230 300)	
		Ref.	Price	Ref.	Price
2 basins + right draining board 	700 x 1600	503 621		503 631	



Consult'Express









Your shipping date



503 633




Catering sinks - basins 600 x 500 + shelf

Description	Overall dim. W x l (mm)	Without tap		With tap (ref. 230 300)	
		Ref.	Price	Ref.	Price
1 basin 	700 x 800	<u>503 622</u>		<u>503 632</u>	
1 basin + right draining board 	700 x 1400	<u>503 623</u>		<u>503 633</u>	
1 basin + left draining board 	700 x 1400	<u>503 629</u>		<u>503 639</u>	
2 basins 	700 x 1400	<u>503 626</u>		<u>503 636</u>	
2 basins + right draining board 	700 x 1900	<u>503 627</u>		<u>503 637</u>	
2 basins + left draining board 	700 x 1900	<u>503 628</u>		<u>503 638</u>	



503 635

Catering sinks for dishwasher + shelf

Description	Overall dim. W x l (mm)	Without tap		With tap (ref. 230 300)	
		Ref.	Price	Ref.	Price
1 basin 500 x 500 + right draining board 	700 x 1200	<u>503 630</u>		<u>503 640</u>	
1 basin 500 x 500 + left draining board 	700 x 1200	<u>503 625</u>		<u>503 635</u>	
2 basins 400 x 500 + left draining board 	700 x 1600	<u>503 624</u>		<u>503 634</u>	

CATERING WALL CABINET

Stainless steel construction. Height 600 mm. Adjustable middle shelf. Reinforced sliding doors, suspended from a rail fixed to the upper part, with stop-blocks. Flattened folds used throughout on the front edge, shelf, handles and floor. Fixed to wall using 2 supports.



503 554



Containers on slide bars bottom parts

Description	Dimensions W x l (mm)	Reference	Price
Catering wall cabinet	400 x 1000	<u>503 552</u>	
Catering wall cabinet	400 x 1200	<u>503 553</u>	
Catering wall cabinet	400 x 1400	<u>503 554</u>	
Catering wall cabinet	400 x 1600	<u>503 555</u>	
Catering wall cabinet + 5 s/s GN containers*	400 x 1800	<u>503 557</u>	
Catering wall cabinet + 4 s/s GN containers*	400 x 1000	503 562	
Catering wall cabinet + 7 s/s GN containers*	400 x 1200	503 563	
Catering wall cabinet + 7 s/s GN containers*	400 x 1400	503 564	
Catering wall cabinet + 9 s/s GN containers*	400 x 1600	503 565	
Catering wall cabinet + 9 s/s GN containers*	400 x 1800	503 567	

* containers GN 1/3 , depth 100 mm

Extra cost for lock and key (ready to assembly) - Ref. 118 882



CATERING UNITS

Stainless steel construction, height 900 mm (+0/65 mm). Top surface lined with water repellent laminated panel. Folded upstand height 100 mm. Front strip height 40 mm. Adjustable middle shelf. Reinforced sliding doors, suspended from a rail fixed on the upper part, with stop-blocks. Polyamide legs, with jacks with no exposed thread. Flattened folds used throughout on the front edge, the upstand, shelf, handles, and floor.



503 503

Description	Dimensions W x l (mm)	Units on feet		Units on wheels	
		Ref	Price	Ref	Price
Catering unit + upstand with sliding doors	700 x 1000	503 502		523 502	
Catering unit + upstand with sliding doors	700 x 1200	503 503		523 503	
Catering unit + upstand with sliding doors	700 x 1400	503 504		523 504	
Catering unit + upstand with sliding doors	700 x 1600	503 506		523 506	
Catering unit + upstand with sliding doors	700 x 1800	503 507		523 507	
Key lock		118 882			

CATERING HIGH CUPBOARD

Stainless steel construction, height 1800 mm. Reinforced sliding doors, suspended from a rail fixed on the upper part, with stop-blocks. Horizontal top. 3 adjustable shelves. Polyamide leg with jacks with no exposed thread. Flattened folds used throughout on the front edge, shelves, handles and floor.



503 493

Description	Dimensions W x l (mm)	Reference	Price
High cupboard with sliding doors	600 x 1000	503 492	
High cupboard with sliding doors	600 x 1200	503 493	

Option: lock for catering wall cabinets and catering units and catering high cupboard - Ref.: [118 882](#)

CATERING CUPBOARD FOR CLEANING PRODUCTS

Stainless steel construction, height 1800 mm. Reinforced 1 or 2 hinged doors with key. Horizontal top. Vertical separation. 3 adjustable half shelves + 1 lower fixed shelf. Polyamide leg.



Description	Dimensions W x l (mm)	Reference	Price
Cupboard 1 door with vertical separation	500 x 600	503 481	
Cupboard 2 doors with vertical separation	500 x 1000	503 482	
Additional shelf 1 door		121 989	
Additional shelf 2 doors		121 990	



Consult'Express



Your shipping date

CATERING WALL SHELVES

Stainless steel construction. Shelves with tray, thickness 1,2 mm. Rear upstand 40 mm high, recessed by 40 mm. Useful depth 360 mm for shelf width 400 mm and width 260 mm for shelf width 300 mm. Load: 100 kg distributed (according to the type of wall). Wall fixation by means of 4 screws.


Shelves with GN pans: monobloc support to screw under the shelf, stainless steel GN pans 1/3 depth 100 mm supplied.



503 442




503 452



503 426

Description	Overall dim. W x l (mm)	Shelves with tray		Shelves with tray with GN container		
		Ref.	Price	Ref.	Number	Price
Catering wall shelf	300 x 600	<u>503 429</u>		-	-	-
Catering wall shelf	300 x 800	<u>503 430</u>		-	-	-
Catering wall shelf	400 x 1000	<u>503 441</u>		<u>503 451</u>	4	
Catering wall shelf	400 x 1200	<u>503 442</u>		<u>503 452</u>	5	
Catering wall shelf	400 x 1400	<u>503 443</u>		<u>503 453</u>	6	
Catering wall shelf	400 x 1600	<u>503 444</u>		<u>503 454</u>	7	

Description	Dimensions W x l (mm)	Reference	Price
Shelves for microwave ovens, 1 level	500 x 600	<u>503 425</u>	
Shelves for microwave ovens, 2 levels	500 x 600	<u>503 426</u>	
Salamander grill shelf	478 x 600	<u>503 415</u>	



503 415

WALL SUPPORT

Wall support for 3 GN pans. Delivered with 3 separation bars to transform the product into a support for 6 GN 1/6 pans. Height 200 mm. Wall fixing by screws. Pans not delivered.



Description	Dimensions W x l (mm)	Reference	Price
Wall support for 3 GN 1/3 pans	350 x 560	<u>503 420</u>	



EXPORT TEAM



Romain BRETON
Export Director
Northern Europe
Mob: + 33 6 83 66 30 85
rbreton@tournus.com

Frédéric DOUX
Benelux, Switzerland, Caribbean
Mob: + 33 6 07 27 10 53
fdoux@tournus.com

Giorgia STEFANI
Italy
Mob: + 39 338 498 50 09
gstefani@tournus.com

Georges WARDE
Middle East, Africa, Asia
Mob: + 33 6 11 17 53 98
gwarde@tournus.com

Vibin THOMAS
UAE, Oman, Kuwait, Bahrain
Mob: + 971 56 441 78 40
vthomas@tournus.com

Claudia SCHMITT
Germany
Mob: + 49 176 81009375
claudia.schmitt@vskraus.de

BACK OFFICE

Carine VILLANI
Mob: + 33 3 85 27 42 43
cvillani@tournus.com

Emeline RAVET
Tel : + 33 3 85 27 42 74
eravet@tournus.com

Virginie POITOUX
Mob: + 33 3 85 27 42 65
vpoitoux@tournus.com

TOURNUS EQUIPEMENT
25 avenue Jean Moulin
CS 20005
71700 TOURNUS - FRANCE

Code APE2893 Z - RC Mâcon B383 567 104
Fax : + 33 3 85 27 42 60
export@tournus.com

www.tournus.com

Join us...

