

TABLES

MAY 2023

TOURNUS
EQUIPEMENT

FRANCE

NSF

NF

E-71200
Tournus

MADE IN FRANCE

TABLES

THE
TOURNUS
ASSETS



Rigid:

Work surface 1.5 mm thick with double sided laminate panel, and aluminium profile frame.

Comfort:

Sound absorbent panel.




Easy assembly:

Easy self-locking push fitting. Patented system

Sturdy assembly:

The welded corners of the lower shelf and the work surface ensure a resistant assembly.



Lower shelf with rounded edges and welded corners.


Health and safety:

Easy cleaning thanks to streamlined corners



Aesthetics:

Rounded edges. Quality finish.



Stability:

Adjustable polyamide jacks with rubber pads.

Modular:

Instant assembly of drawers in all positions on profile frame, possible at any time.



**Quick
assembly**



Flash on
our documentation !

ORIGINE
FRANCE®
GARANTIE

AFNOR Cert. 65019





BE AT THE BEST LEVEL WITH ERGONOMIX


Ergonomix is an adjustable worktop. It allows everyone to work at a height that suits them, depending on their size or the task. Ergonomix helps reduce the risk of musculoskeletal injury, a leading cause of work absence.

Easy to use

Manual operation of the crank makes it possible to raise or lower the platform according to the user's needs. There is no electrical connection required.

Ergonomic

After adjusting the height, the crank can be folded under the worktop, avoiding the risk of snagging or shocks.



READY TO USE

The worktop is delivered ready to use. The product is already pre-assembled and checked in our factory. Just remove the packaging, clean the surface of the worktop and it's ready to use immediately by staff.





Consult'Express



Your shipping date



404 702

ERGONOMIX WORKTOPS

Stainless steel adaptable worktops. 1,5 mm top lined by laminated panel with aluminium under side tables. Free-standing **worktop with rounded front and rear edges**. Worktop with upstand: rear upstand, height 100 mm and rounded front edge, sliding pads attached to the back of the upstand for protection of the wall during ascent and descent. Feet: square stainless steel legs 40 x 40 mm. Hydraulic system (stroke 0 - 300 mm) controlled by a retractable crank. Removable stainless steel shelf 1.2 mm thickness, hookable on the spacers. 4 adjustable jacks for balancing. Worktops delivered ready to use.



424 712

Worktops on feet

Overall dim W x l (mm)	Free standing worktop		Free standing worktop + undershelf		With upstand		With upstand + undershelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
700 x 1000	404 701		424 701		404 711		424 711	
700 x 1200	404 702		424 702		404 712		424 712	
700 x 1400	404 703		424 703		404 713		424 713	
700 x 1600	404 705		424 705		404 715		424 715	
700 x 1800	404 706		424 706		404 716		424 716	



464 712

Worktops on wheels

Overall dim W x l (mm)	Free standing worktop		Free standing worktop + undershelf		With upstand		With upstand + undershelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
700 x 1000	414 701		464 701		414 711		464 711	
700 x 1200	414 702		464 702		414 712		464 712	
700 x 1400	414 703		464 703		414 713		464 713	
700 x 1600	414 705		464 705		414 715		464 715	
700 x 1800	414 706		464 706		414 716		464 716	



404 702
+ optional drawer

Accessory

Stainless steel drawer with facade with polypropylene GN 1/1 pan - ref. [809 504](#)



TS 15N STAINLESS STEEL TABLES

Stainless steel tables, **height 900 mm**, adjustable up to 930 mm (850 mm tables available on request). Worktop thickness 1,5 mm, reinforced by 100% waterproof double-sided laminated board. **Rounded worktop front and upstand. Underframe in (Ø 45 mm) stainless steel tube fitted with adjustable and non-slip feet.** Fast assembly: no tools required. Rear legs recessed by 65 mm on tables with upstands and 55 mm on free-standing tables. Instant assembly of drawers in any position on the specially adapted frame. NF Hygiene Alimentaire.

Tables



Overall dim. (mm)	Free-standing tables		Free-standing tables + undershelf		Tables with upstand		Tables with upstand + undershelf		
	W x l	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
600 x 600		404 920		424 920		404 940		424 940	
600 x 1000		404 921		424 921		404 941		424 941	
600 x 1200		404 922		424 922		404 942		424 942	
600 x 1400		404 923		424 923		404 943		424 943	
600 x 1500		404 924		424 924		404 944		424 944	
600 x 1600		404 925		424 925		404 945		424 945	
600 x 1800		404 926		424 926		404 946		424 946	
600 x 2000		404 927		424 927		404 947		424 947	
700 x 700		404 970		424 970		404 990		424 990	
700 x 1000		404 971		424 971		404 991		424 991	
700 x 1200		404 972		424 972		404 992		424 992	
700 x 1400		404 973		424 973		404 993		424 993	
700 x 1500		404 974		424 974		404 994		424 994	
700 x 1600		404 975		424 975		404 995		424 995	
700 x 1800		404 976		424 976		404 996		424 996	
700 x 2000		404 977		424 977		404 997		424 997	
700 x 2200		404 978		424 978		404 998		424 998	
700 x 2400		404 979		424 979		404 999		424 999	
800 x 1000		404 811		424 811		404 821		424 821	
800 x 1200		404 812		424 812		404 822		424 822	
800 x 1400		404 813		424 813		404 823		424 823	
800 x 1600		404 815		424 815		404 825		424 825	
800 x 1800		404 816		424 816		404 826		424 826	
800 x 2000		404 817		424 817		404 827		424 827	

Same price for tables height 850 and 900 mm.





Consult'Express



Your shipping date

Tables on wheels

4 swivel wheels Ø 125 mm with polyamide cover including 2 brakes.

NF Hygiene Alimentaire



414 973



414 993

Overall dim. (mm)	Free-standing tables		Free-standing tables + undershelf		Tables with upstand		Tables with upstand + undershelf	
	W x l	Ref.	Price	Ref.	Price	Ref.	Price	Ref.
600 x 600	414 920		464 920		414 940		464 940	
600 x 1000	414 921		464 921		414 941		464 941	
600 x 1200	414 922		464 922		414 942		464 942	
600 x 1400	414 923		464 923		414 943		464 943	
600 x 1500	414 924		464 924		414 944		464 944	
600 x 1600	414 925		464 925		414 945		464 945	
600 x 1800	414 926		464 926		414 946		464 946	
600 x 2000	414 927		464 927		414 947		464 947	
700 x 700	414 970		464 970		414 990		464 990	
700 x 1000	414 971		464 971		414 991		464 991	
700 x 1200	414 972		464 972		414 992		464 992	
700 x 1400	414 973		464 973		414 993		464 993	
700 x 1500	414 974		464 974		414 994		464 994	
700 x 1600	414 975		464 975		414 995		464 995	
700 x 1800	414 976		464 976		414 996		464 996	
700 x 2000	414 977		464 977		414 997		464 997	
700 x 2200	414 978		464 978		414 998		464 998	
700 x 2400	414 979		464 979		414 999		464 999	
800 x 1000	414 811		464 811		414 821		464 821	
800 x 1200	414 812		464 812		414 822		464 822	
800 x 1400	414 813		464 813		414 823		464 823	
800 x 1600	414 815		464 815		414 825		464 825	
800 x 1800	414 816		464 816		414 826		464 826	
800 x 2000	414 817		464 817		414 827		464 827	





TS 15N CHEF'S TABLES

Worktop thickness 1,5 mm. Welded sink 400 x 400 x 250 mm with overflow tube and siphon. Please consult us for chef's tables without upstand.

Chef's tables with tap

Mixer tap ref. 230 300 and siphon supplied.



Chef's tables with tap	Overall dim. (mm) W x l	With upstand		With upstand + under shelf	
		Ref.	Price	Ref.	Price
Central sink	700 x 700	404 850		424 850	
Left sink	700 x 1000	404 851		424 851	
Left sink	700 x 1200	404 852		424 852	
Left sink	700 x 1400	404 853		424 853	
Left sink	700 x 1500	404 854		424 854	
Left sink	700 x 1600	404 855		424 855	
Left sink	700 x 1800	404 856		424 856	
Left sink	700 x 2000	404 857		424 857	
Right sink	700 x 1000	404 861		424 861	
Right sink	700 x 1200	404 862		424 862	
Right sink	700 x 1400	404 863		424 863	
Right sink	700 x 1500	404 864		424 864	
Right sink	700 x 1600	404 865		424 865	
Right sink	700 x 1800	404 866		424 866	
Right sink	700 x 2000	404 867		424 867	



Chef's tables without tap


Chef's tables without tap	Overall dim. (mm) W x l	Chef's tables with upstand		Chef's tables with upstand + undershelf	
		Ref.	Price	Ref.	Price
Central sink	700 x 700	404 750		424 750	
Left sink	700 x 1000	404 751		424 751	
Left sink	700 x 1200	404 752		424 752	
Left sink	700 x 1400	404 753		424 753	
Left sink	700 x 1500	404 754		424 754	
Left sink	700 x 1600	404 755		424 755	
Left sink	700 x 1800	404 756		424 756	
Left sink	700 x 2000	404 757		424 757	
Right sink	700 x 1000	404 761		424 761	
Right sink	700 x 1200	404 762		424 762	
Right sink	700 x 1400	404 763		424 763	
Right sink	700 x 1500	404 764		424 764	
Right sink	700 x 1600	404 765		424 765	
Right sink	700 x 1800	404 766		424 766	
Right sink	700 x 2000	404 767		424 767	



Sealing for hole Ø 33 mm: Ref. 272 152



Consult'Express



Your shipping date

TS 15N WALL TABLES

Worktop thickness 1,5 mm. Fastening by 2 wall supports under upstand and 2 brackets Ø 45 mm with jacks for horizontal adjustment.



404 883

Stainless steel wall tables

Description	Overall dim. W x l (mm)	Reference	Price
Stainless steel wall table	700 x 1000	404 881	
Stainless steel wall table	700 x 1200	404 882	
Stainless steel wall table	700 x 1400	404 883	
Stainless steel wall table	700 x 1600	404 885	
Stainless steel wall table	700 x 1800	404 886	
Stainless steel wall table	700 x 2000	404 887	
Stainless steel wall table	700 x 2200	404 888	



404 893

Chef's wall tables with tap

Worktop thickness 1,5 mm. Fastening by 2 wall supports under upstand and 2 brackets Ø 45 mm with jacks for horizontal adjustment. Basin 400 x 400 x 250 mm with overflow tube. Mixer tap ref. 230 300 supplied.

Chef's wall table	Overall dim. W x l (mm)	With left basin		With right basin	
		Ref.	Price	Ref.	Price
With tap	700 x 1000	404 891		404 901	
With tap	700 x 1200	404 892		404 902	
With tap	700 x 1400	404 893		404 903	
With tap	700 x 1600	404 895		404 905	
With tap	700 x 1800	404 896		404 906	
With tap	700 x 2000	404 897		404 907	



404 913

Chef's wall tables without tap

Chef's wall table	Overall dim. W x l (mm)	With left basin		With right basin	
		Ref.	Price	Ref.	Price
Without tap	700 x 1000	404 911		404 931	
Without tap	700 x 1200	404 912		404 932	
Without tap	700 x 1400	404 913		404 933	
Without tap	700 x 1600	404 915		404 935	
Without tap	700 x 1800	404 916		404 936	
Without tap	700 x 2000	404 917		404 937	

Sealing for hole Ø 33 mm: Ref. [272 152](#)





TS 15N CUSTOMIZED S/STEEL TABLES



Worktop thickness 1,5 mm. Same design as standard tables. Above 2500 mm: 6 legs. NF Hygiene Alimentaire. More than 2800 mm: please consult us (maxi length: 3800 mm).



600 mm deep

Overall lengths (mm)	Free-standing tables		Free-standing tables + undershelf		Tables with upstand		Tables with upstand + undershelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
600 to 1000	604 016		604 066		604 116		604 166	
1001 to 1200	604 017		604 067		604 117		604 167	
1201 to 1400	604 018		604 068		604 118		604 168	
1401 to 1600	604 019		604 069		604 119		604 169	
1601 to 1800	604 020		604 070		604 120		604 170	
1801 to 2000	604 021		604 071		604 121		604 171	
2001 to 2200	604 022		604 072		604 122		604 172	
2201 to 2400	604 023		604 073		604 123		604 173	
2401 to 2600	604 024		604 074		604 124		604 174	
2601 to 2800	604 025		604 075		604 125		604 175	

700 mm deep

Overall lengths (mm)	Free-standing tables		Free-standing tables + undershelf		Tables with upstand		Tables with customized upstand + undershelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
600 to 1000	604 001		604 051		604 101		604 151	
1001 to 1200	604 002		604 052		604 102		604 152	
1201 to 1400	604 003		604 053		604 103		604 153	
1401 to 1600	604 004		604 054		604 104		604 154	
1601 to 1800	604 005		604 055		604 105		604 155	
1801 to 2000	604 006		604 056		604 106		604 156	
2001 to 2200	604 007		604 057		604 107		604 157	
2201 to 2400	604 008		604 058		604 108		604 158	
2401 to 2600	604 009		604 059		604 109		604 159	
2601 to 2800	604 010		604 060		604 110		604 160	

800 mm deep

Overall lengths (mm)	Free-standing tables		Free-standing tables + undershelf		Tables with upstand		Tables with upstand + undershelf	
	Ref.	Price	Ref.	Price	Ref.	Price	Ref.	Price
600 to 1000	604 031		604 081		604 131		604 181	
1001 to 1200	604 032		604 082		604 132		604 182	
1201 to 1400	604 033		604 083		604 133		604 183	
1401 to 1600	604 034		604 084		604 134		604 184	
1601 to 1800	604 035		604 085		604 135		604 185	
1801 to 2000	604 036		604 086		604 136		604 186	
2001 to 2200	604 037		604 087		604 137		604 187	
2201 to 2400	604 038		604 088		604 138		604 188	
2401 to 2600	604 039		604 089		604 139		604 189	
2601 to 2800	604 040		604 090		604 140		604 190	

Customized perforated lower shelf, the linear metre: Ref: 701 074



Consult'Express



Your shipping date

Customized chef's Table - Width 700 mm

Worktop thickness 1,5 mm. Basin 400 x 400 x 250 mm with overflow tube and mixer tap (hole Ø 33 mm). When ordering, please specify right or left-side basin. More than 2800 mm: please consult us (maxi length: 3800 mm).

Overall lengths (mm)	Basin	With upstand			With upstand + undershelf		
		Left	Right	In the center	Left	Right	In the center
600 to 1000	604 301 G		604 301 D	604 301 C	604 351 G	604 351 D	604 351 C
1001 to 1200	604 302 G		604 302 D	604 302 C	604 352 G	604 352 D	604 352 C
1201 to 1400	604 303 G		604 303 D	604 303 C	604 353 G	604 353 D	604 353 C
1401 to 1600	604 304 G		604 304 D	604 304 C	604 354 G	604 354 D	604 354 C
1601 to 1800	604 305 G		604 305 D	604 305 C	604 355 G	604 355 D	604 355 C
1801 to 2000	604 306 G		604 306 D	604 306 C	604 356 G	604 356 D	604 356 C
2001 to 2200	604 307 G		604 307 D	604 307 C	604 357 G	604 357 D	604 357 C
2201 to 2400	604 308 G		604 308 D	604 308 C	604 358 G	604 358 D	604 358 C
2401 to 2600	604 309 G		604 309 D	604 309 C	604 359 G	604 359 D	604 359 C
2601 to 2800	604 310 G		604 310 D	604 310 C	604 360 G	604 360 D	604 360 C

Customized suspended or semi-suspended stainless steel tables - width 700 mm

Semi-suspended tables: wall mounting at the rear, 2 legs at the front (3 legs from 2500 mm).

Overall lengths (mm)	Wall tables with upstand		Overall lengths (mm)	Wall tables with upstand		
	Ref.	Price		Basin	Left	Right
600 to 1000	604 401		600 to 1000	604 451 G	604 451 D	604 451 C
1001 to 1200	604 402		1001 to 1200	604 452 G	604 452 D	604 452 C
1201 to 1400	604 403		1201 to 1400	604 453 G	604 453 D	604 453 C
1401 to 1600	604 404		1401 to 1600	604 454 G	604 454 D	604 454 C
1601 to 1800	604 405		1601 to 1800	604 455 G	604 455 D	604 455 C
1801 to 2000	604 406		1801 to 2000	604 456 G	604 456 D	604 456 C
2001 to 2200	604 407		2001 to 2200	604 457 G	604 457 D	604 457 C
2201 to 2400	604 408		2201 to 2400	604 458 G	604 458 D	604 458 C
2401 to 2600	604 409		2401 to 2600	604 459 G	604 459 D	604 459 C
2601 to 2800	604 410		2601 to 2800	604 460 G	604 460 D	604 460 C

Minoration for taps not supplied - Ref. 701 010 In this case, specify the drilling Ø (single-hole - two-hole) or non-drilling (wall fitting)
Suspended tables: only 600, 700 and 800 mm

Others widths

To apply to the prices of custom-made tables width 700 mm


Width (mm)	References	Prix h.t.
From 701 to 799	701 096	
From 801 to 900	701 097	
From 901 to 1000	701 098	

For width < 700 mm: take the price of custom-made tables width 700 mm
For width > 1000 mm: consult us (width max: 1300 mm)

Fold away work top

Made-to-measure stainless steel construction. Top 1,5 mm thick with upstand. Wall mounted on 2 hinged brackets to fold away the work top. Dimensions to specify at the order, Max. length 1400 mm, depth 450 to 700 mm.

Extra to be added to the price of stainless steel wall tables with customized upstand, ref. 701 087





OVERSHELVES FOR TABLES

Stainless steel construction. Cylindrical tubes Ø 32 mm. Adjustable shelves in brushed stainless steel, thickness 1,2 mm. Width 300 mm, height 400 mm (1 tier), 600 mm (2 tiers). Supplied with 2 fixing brackets.



809 022

Description	1 tier shelves		2 tier shelves	
	Ref.	Price	Ref.	Price
Overshelf for table length 1000 mm	809 007		809 017	
Overshelf for table length 1200 mm	809 010		809 020	
Overshelf for table length 1400 mm	809 011		809 021	
Overshelf for table length 1500 mm	809 012		809 022	
Overshelf for table length 1600 mm	809 019		809 029	
Overshelf for table length 1800 mm	809 013		809 023	
Overshelf for table length 2000 mm	809 014		809 024	
Overshelf for table length 2200 mm	809 015		809 025	
Étagère pour table longueur 2200 mm	809 016		809 026	

Others lengths: price of the upper lenght

ACCESSORIES FOR S/STEEL TABLES



Semi-mobile table
701 203

Description	Reference	Price
Table with 4 swivel wheels ø 125 mm with polyamide cover and 2 brakes	701 201	
Table with 4 swivel wheels ø 125 mm with stainless steel cover and 2 brakes	701 204	
Semi-mobile table, 2 swivel wheels ø 125 mm with polyamide cover and 2 rear brakes	701 203	
Semi-mobile table , 2 swivel wheels ø 125 mm with polyamide cover including 2 brakes + rear stop	701 223	
Semi-mobile table, 2 s/steel swivel wheels ø 125 mm + rear stops	701 224	
Semi-mobile table, 2 s/steel swivel wheels ø 125 mm including 2 brakes + rear stops	701 225	

CORNER SHELF

Shelf thickness 1,5 mm reinforced by laminated board with plated edges. Rounded upstand height 100 mm. Fastening by 2 wall supports under upstand and bolting to adjacent tables.



509 005

Description	Overall dim. l x W (mm)	Reference	Price
Corner shelf	700 x 700	509 005	







Consult'Express



Your shipping date

ACCESSORIES FOR S/STEEL TABLES



Drawers

Description	Reference	Price
Drawer with facade + polyethylene GN 1/1 container for tables 700 mm deep (1)	809 501	
Drawer with facade + polyethylene GN 1/1 container, adjustable width (1)	809 504	
Drawer with facade + polyethylene GN 1/1 container, adjustable width + lock (1)	819 504	
Drawer with facade + copolyester GN 1/1 container for table width 700 mm (1)	849 501	
Drawer with facade + copolyester GN 1/1 container, adjustable width(1)	849 504	
Drawer with facade + stainless steel pan GN 1/1 for table width 700 mm (1)	829 501	
Drawer with facade + stainless steel pan GN 1/1, adjustable width (1)	829 504	

(1) For tables length mini 700 mm (chef's table 1200 mm)

Tap

Mixer tap 1/2", flow rate 30 l/mn	230 300	
Mixer tap chavonnet 5640 t3, flow rate 30 l/mn	806 730	
Mixer tap with electronic control, flow rate 3 l/mn	230 507	
1 Water shower head	230 240	
Mixer shower head	507 545	
Mixer shower head + swan neck	507 546	
Knee operated control for chef's table + disposal	701 054	
Extra cost for brass trap	272 110	
Cover basin cladding on 3 sides	117 180	
Overflow tube and strainer	806 688	

Crosspieces

2 Crosspieces for tables width 600 mm (to order together with the table)	809 131	
2 Crosspieces for tables width 700 mm (to order together with the table)	809 132	
2 Crosspieces for tables width 800 mm (to order together with the table)	809 133	
2 Crosspieces for tables on wheels, width 600 mm (to order together with the table)	809 134	
2 Crosspieces for tables on wheels, width 700 mm (to order together with the table)	809 135	
2 Crosspieces for tables on wheels, width 800 mm (to order together with the table)	809 136	

Hooked longitudinal

Hooked longitudinal bar length 600 mm can be hooked to braces, per unit	809 150	
Hooked longitudinal bar length 700 mm, can be hooked to braces, per unit	809 149	
Hooked longitudinal bar length 1000 mm, can be hooked to braces, per unit	809 151	
Hooked longitudinal bar length 1200 mm, can be hooked to braces, per unit	809 152	
Hooked longitudinal bar length 1400 mm, can be hooked to braces, per unit	809 153	
Hooked longitudinal bar length 1500 mm, can be hooked to braces, per unit	809 154	
Hooked longitudinal bar length 1600 mm, can be hooked to braces, per unit	809 155	
Hooked longitudinal bar length 1800 mm, can be hooked to braces, per unit	809 156	
Hooked longitudinal bar length 2000 mm, can be hooked to braces, per unit	809 157	
Hooked longitudinal bar length 2200 mm, can be hooked to braces, per unit	809 158	
Hooked longitudinal bar length 2400 mm, can be hooked to braces, per unit	809 159	



Others accessories

Description	Reference	Price
Polyethylene sheet 600 x 600 mm on bases, placed on table	801 953	
GN 1/1 sliding underframe 5 levels to fit under the frame of the table (2)	801 956	
3 Drawers unit to fit under the frame table (width 600 and 700 mm)	801 959	

(2) For tables width 700 mm and length mini 800 mm.

EXTRAS TO BE ADDED TO THE PRICE OF CUSTOMIZED TABLES

The extras listed below require special individual manufacture launched at the time of order.



Top

Description	Reference	Price
Lateral right upstand	701 001	
Lateral left upstand	701 002	
Cut side (allow 2 when tables with shelf)	701 003	
Notch for columns	701 004	
Anti-drip edges	701 005	
Orbital polishing, linear meter (1)	701 024	
Mirror polished edging, linear meter (1)	701 025	

EXTRA-COST FOR WORKTOP THICKNESS 20/10 MM (UPSTAND NOT ROUNDED)

For tables length up to 1800 mm, linear meter	701 008	
For tables length up to 1800 mm, linear meter	701 009	
2 Ball corners for upstand table	701 080	
4 Ball corners for central table	701 079	

WASTE CHUTE

Waste chute with sloping sides ø 150 mm , on the left	701 101 G	
Waste chute with sloping sides ø 150 mm , on the right	701 101 D	
Waste chute with sloping sides ø 150 mm , in the center	701 101 C	
Waste chute with sloping sides ø 250 mm + rubber flange - grey on the left	701 102 G	
Waste chute with sloping sides ø 250 mm + rubber flange - grey on the right	701 102 D	
Waste chute with sloping sides ø 250 mm + rubber flange - grey in the center	701 102 C	
Rubber flange ø 190 - 280 mm for hole ø 250 mm - grey	230 157	
Rubber flange ø 190 - 280 mm for hole ø 250 mm - other colors (2)	702 065	
Stainless steel cover for waste chute ø 280 mm	230 158	

(1) For lengths < 1 m, take the price of 1 m

(2) Other colors, to be specified on order: yellow, green, red, blue.



Consult'Express



Your shipping date



Basins

Description	Reference	Price
Welded basin 310 x 510 x 215 mm (GN 1/1) on the left	701 030 G	
Welded basin 310 x 510 x 215 mm (GN 1/1) disposé à droite	701 030 D	
Welded basin 310 x 510 x 215 mm (GN 1/1) disposé au centre	701 030 C	
Welded basin 400 x 400 x 250 mm avec surverse on the left (1)	701 051 G	
Welded basin 400 x 400 x 250 mm avec surverse disposé à droite	701 051 D	
Welded basin 400 x 400 x 250 mm avec surverse disposé au centre	701 051 C	
Welded basin 500 x 400 x 300 mm with overflow on the left (1)	701 032 G	
Welded basin 500 x 400 x 300 mm with overflow on the right	701 032 D	
Welded basin 500 x 400 x 300 mm with overflow in the center	701 032 C	
Welded basin 500 x 500 x 300 mm with overflow on the left (1)	701 052 G	
Welded basin 500 x 500 x 300 mm with overflow on the right	701 052 D	
Welded basin 500 x 500 x 300 mm with overflow in the center	701 052 C	
Welded basin 600 x 500 x 300 mm with overflow on the left (1)	701 053 G	
Welded basin 600 x 500 x 300 mm with overflow on the right	701 053 D	
Welded basin 600 x 500 x 300 mm with overflow in the center	701 053 C	
Cylindrical welded sink Ø 300 mm, prof. 160 mm with overflow on the left (1)	701 033 G	
Cylindrical welded sink Ø 300 mm, prof. 160 mm with overflow on the right	701 033 D	
Cylindrical welded sink Ø 300 mm, depht. 160 mm with overflow in the center	701 033 C	

(1)Specify the drilling diameter for the tap (single-hole - two-hole) or non-drilling (wall-mounted tap)



806 931

Risers for chef's tables*

Riser	Height (mm)	Reference	Price
Riser for pan 500 x 600 mm	100	<u>806 931</u>	
Riser for pan 600 x 600 mm	100	<u>806 932</u>	

* Riser grids for all configurations (right or left outlet) on Tournus tables only.

EXTRA TO BE ADDED TO THE PRICE OF CUSTOMIZED TABLES

Description	Reference	Price
4 Rubber buffers	701 207	
2 Rear bumpers	701 206	
Stainless steel discharge tube on drain per pan	701 110	
Lateral upstand added to right (+ 20 mm)	701 012	
Lateral upstand added to left (+ 20 mm)	701 013	
Legs with stainless steel jack	701 070	
2 additional central feet for shorter lower shelf	701 007	



TABLES FOR OPENING TINS

For GN 1/1 containers. Welded stainless steel construction with covering on 3 sides, height 900 mm, depth 700 mm (tables on legs). Worktop thickness 1,5 mm, welded corners. Option: shower head.

Standard tables for opening tins

Description	Overall dim. (mm) W x l	With left sink		With right sink	
		Ref.	Price	Ref.	Price
Legged table for 2 pans	700 x 1200	801_961		801_966	
Legged table for 3 pans	700 x 1500	801_962		801_967	
Legged table for 4 pans	700 x 1800	801_963		801_968	
Wall table for 2 pans	700 x 1200	801_971		801_974	
Wall table for 3 pans	700 x 1500	801_972		801_975	
Wall table for 4 pans	700 x 1800	801_973		801_976	



801 961

Top overflowing for an easy fixing of tins-openers.

Customized table on legs for opening tins

Lengths (mm)	Capacity 2 pans GN 1/1		Capacity 3 pans GN 1/1		Capacity 4 pans GN 1/1		
	Pans	Left	Right	Left	Right	Left	Right
1000 to 1200	604 620 G	604 620 D	-	-	-	-	-
1201 to 1400	604 621 G	604 621 D	604 630 G	604 630 D	-	-	-
1401 to 1600	604 622 G	604 622 D	604 631 G	604 631 D	604 640 G(1)	604 640 D(1)	
1601 à 1800	604 623 G	604 623 D	604 632 G	604 632 D	604 641 G	604 641 D	
1801 to 2000	604 624 G	604 624 D	604 633 G	604 633 D	604 642 G	604 642 D	
2001 to 2200	604 625 G	604 625 D	604 634 G	604 634 D	604 643 G	604 643 D	
2201 to 2400	604 626 G	604 626 D	604 635 G	604 635 D	604 644 G	604 644 D	
2401 to 2600	604 627 G	604 627 D	604 636 G	604 636 D	604 645 G	604 645 D	

Customized semi-suspended or suspended table for opening tins: price of customized legged table for opening tins + 30 %





Consult'Express



Your shipping date

GARNISHING TABLE

Designed to facilitate the preparation of starters and salads. It means all the different ingredients can be kept close to hand for easy and quick plating a large number of plates and small dishes, while limiting operations. Standard TS15N table, height 900 mm, top 1,5 mm thickness with fully sealed double sided laminate panel. Stainless steel tubular legs Ø 45 mm fitted with screw jacks with runner stops at each end. GN stainless steel wire stand on wheels that can be moved alongside the table.



Description	Overall dim. W x l (mm)	Reference	Price
Garnishing table	700 x 1800	<u>801_980</u>	

TABLES ON WHEELS

Welded stainless steel construction. 4 swivel wheels Ø 125 mm, with polyamide cover, including 2 brakes (except ref 801 305, wheels Ø 80 mm).



906 530



801 305

Description	Overall dim. W x l x h (mm)	Reference	Price
Table on wheels with shelf	500 x 800 x 850	<u>906_530</u>	
Table on wheels with shelf	670 x 500 x 750	<u>801_300</u>	
Table on wheels	450 x 450 x 480	<u>801_305</u>	

APPLIANCE SUPPORT TABLES

Welded stainless steel construction. Square legs 35 x 35 mm with adjustable jacks 0/+25 mm. Plate 15/10th mm thick. Shelf 12/10th mm thick. Maximum weight: 150 kg. Table on wheels: wheels with polyamide cover Ø 125 mm including 2 with brakes.



803 473



803 474

Description	Overall dim. W x l x h (mm)	Reference	Price
Appliance support table	600 x 800 x 700	<u>803_472</u>	
Appliance support table	600 x 600 x 850	<u>803_473</u>	
Appliance support table on wheels	600 x 600 x 850	<u>803_474</u>	



THE
TOURNUS
ASSET

- **Robust design** to receive carcasses up to 200 kg daily.
- The gripping of the plate is facilitated because it exceeds the 25 mm belt.



809 751



809 776



809 785

809 780



809 796

CARVING TABLES

Stainless steel welded construction. Legs 35 x 35 mm with non-slip adjustable feet. Upper belt 60 x 30 mm. Height 900 mm. Removable carving polyethylene plate 25 mm thick. NF Hygiene Alimentaire.







Polyethylene top tables

Description	Overall dim. (mm) W x l x h	Tables with welded legs		Flat packed tables	
		Ref.	Price	Ref.	Price
Table, polyethylene top	600 x 600	<u>809 750</u>		<u>809 701</u>	
Table, polyethylene top	600 x 1200	<u>809 751</u>		<u>809 702</u>	
Table, polyethylene top	600 x 1500	<u>809 752</u>		<u>809 703</u>	
Table, polyethylene top	600 x 2000	<u>809 753</u>		<u>809 704</u>	
Table, polyethylene top	700 x 1000	<u>809 760</u>		<u>809 705</u>	
Table, polyethylene top	700 x 1500	<u>809 761</u>		<u>809 706</u>	
Table, polyethylene top	700 x 2000	<u>809 762</u>		<u>809 707</u>	
Table with s/steel sheet + upstand	700 x 1200	<u>809 773</u>		<u>809 711</u>	
Table with s/steel sheet + upstand	700 x 1500	<u>809 774</u>		<u>809 712</u>	
Table with s/steel central sheet	1200 x 2000	<u>809 776</u>		<u>809 713</u>	

Butcher blocks on legs and combined blocks

Butcher blocks 100 mm thick.

Description	Overall dim. (mm)	Tables with welded legs		Flat packed tables	
		Ref.	Price	Ref.	Price
Wood block for laboratory	600 x 600	<u>809 785</u>		<u>809 722</u>	
Wood block for sales area	600 x 600	<u>809 786</u>		<u>809 723</u>	
Polyethylene block 	600 x 600	<u>809 780</u>		<u>809 721</u>	
Combined wood block for laboratory	600 x 1200	<u>809 795</u>		<u>809 731</u>	
Combined wood block for laboratory	600 x 1500	<u>809 796</u>		<u>809 732</u>	
Combined wood block for laboratory	600 x 1800	<u>809 797</u>		<u>809 733</u>	
Combined polyethylene block 	600 x 1200	<u>809 790</u>		<u>809 734</u>	
Combined polyethylene block 	600 x 1500	<u>809 791</u>		<u>809 735</u>	
Combined polyethylene block 	600 x 1800	<u>809 792</u>		<u>809 736</u>	



Consult'Express



Your shipping date



809 791



809 506

Removable accessories

Description	Reference	Price
Upstand for table length 1200 mm (1)	<u>809 741</u>	
Upstand for table length 1500 mm (1)	<u>809 742</u>	
Upstand for table length 2000 mm (1)	<u>809 743</u>	
Drawer (please specify position) (2)	701 407	
Removable side knife-holder	<u>809 747</u>	
Removable frontal knife holder	<u>809 506</u>	
Magnetic knife-holder, length 500 mm	<u>228 400</u>	
String dispenser	<u>809 746</u>	
Undershef, linear metre	701 408	
Reinforced underbar for welded tables length 600 mm	<u>809 737</u>	
Reinforced underbar for welded tables length 1000 mm	<u>809 744</u>	
Reinforced underbar for welded tables length 1200 mm	<u>809 738</u>	
Reinforced underbar for welded tables length 1500 mm	<u>809 739</u>	
Reinforced underbar for welded tables length 2000 mm	<u>809 740</u>	
Extra for tables with wheels ø 125 mm including 2 brakes (2)	701 402	

(1) Upstand for butcher block, please consult us.

(2) The fitting of drawer and wheels requires a prior adaptation. You must order them together with the table.




906 452

White polyethylene boards thickness 25 mm

Dimensions W x P (mm)	Ref.	Price	Dimensions W x P (mm)	Ref.	Price
530 x 325 (GN 1/1)	<u>221 229</u>		600 x 600	<u>232 650</u>	
400 x 500	<u>232 602</u>		600 x 900	<u>232 665</u>	
400 x 600	<u>232 667</u>		600 x 1200	<u>232 662</u>	
400 x 1200	<u>232 666</u>		600 x 1500	<u>232 645</u>	
806931	<u>232 604</u>		600 x 2000	<u>232 646</u>	
500 x 1500	<u>232 651</u>		700 x 1000	<u>232 658</u>	
500 x 2000	<u>232 655</u>		700 x 1500	<u>232 659</u>	
			700 x 2000	<u>232 660</u>	

Other dimensions: the m²: white polyethylene - red polyethylene
Other thickness: consult us.



900 400

Description	Reference	Price
Carving plate + brackets (400 x 500 x 25 mm)	<u>906 452</u>	
4 Rubber brakes fitted on carving plate	701 461	
Rack for 6 polyethylene cutting boards thickness 12 mm	<u>900 400</u>	
Rack for 6 polyethylene cutting boards thickness 25 mm	<u>900 401</u>	



252 004



232 231

Butcher blocks

Description	Overall dim. W x l (mm)	Reference	Price
Polyethylene block 100 mm thick	600 x 600	252 004	
Polyethylene block 100 mm thick raised to 140 mm	600 x 600	803 200	
Wood block 100 mm thick for laboratory	600 x 600	232 230	
Wood block 100 mm thick for sales area	600 x 600	232 227	
Wood block 150 mm thick for laboratory	600 x 600	232 231	
Wood block 150 mm thick for sales area	600 x 600	232 228	



809 097

Others tables

Description	Overall dim. W x l (mm)	Reference	Price
Table with 4 anti-drip edges	700 x 1500 x 900	809 095	
Gutting table	700 x 1500 x 900	809 097	



Consult'Express



Your shipping date



Stainless steel writing desks

Stainless steel construction. Tilt worktop with folding cover forming inclined desk.

Description	Overall dim. l x W (mm)	Reference	Price	Prix h.t.
Desk on legs	1300	510 x 565	<u>907 001</u>	
Desk on wheels	1300	515 x 565	<u>907 011</u>	
Desk on wheels with drawer and lock	1300	515 x 565	<u>907 010</u>	
Wall desk	170	500 x 450	<u>907 002</u>	

BASKET SUPPORT




Description	Overall dim. l x W (mm)	Reference	Price
Structure for basket support length 1200 mm fixed to		702 257	
Wall supports brackets for s/steel punnet basket (set of 2)		<u>906 425</u>	
Stainless steel basket for punnets	1200 x 380 x 510	<u>906 380</u>	



GANTRY (BUTCHER)

Tube poles 60 x 60 x 3 mm, upper cross bars of 120 mm. Flat latching bars of 80 x 10 spaced by 500 mm. Flat x-cross reinforcement bars of 40 x 6 mm. Load: 400 kg/m². Height 2200 mm. **Manufactured on request with drawing.**



Description	Reference	Price
Area < 5 m ²	the m ²	702 301 Onrequest
Area from 5 m ² to 8 m ²		702 302
Area > 8 m ²	the m ²	702 303
Extra cost for fixed hooks *	Unit	702 311
Removable sliding hook		<u>228 340</u>

(*) hook to fit