



Control panel cut-out dimensions 198 x 68 mm

INDUC-STONE | Invisible induction buffet

- 650W
- Product dimensions 340 x 340 x 167 mm
- Deported control panel with 3 touches and 2 digits, manual power setting (20 power levels)
- Power supply 220-240V single-phase / 50-60Hz
- Including 1m80 power cable
- Including a spacer Compulsory use

INDUC STONE ADV1587



SECURITY & FIABILITY

This technology in an exclusive Adventys

patent. Switch your buffet from a neutral

zone to a heating zone in seconds. This high

performance & durable product offers an

innovative & economical solution that has

proven itself around the world.

BUFFET Induc-Stone ———



Induc-Stone is installed under your worktop (maximum 20mm thick), no cutting required. Compatible with a wide range of materials including:




Granite











PRECISE CONTROL

You choose your power level! The 20 steps allow you to precisely control the temperature of your food.



INVISIBLE INDUCTION

Your container reaches 90-95°C while the worktop surface remains cool, not higher than 55°C. There is no risk of deterioration over time. Customers and staff are in a safe environment.







Can be installed drop-in or flushed Control panel cut-out dimensions 198 x 68 mm

INDUC-ELEGANCE F-DIR | Drop-in induction buffet

- 1000W
- Glass dimensions 280 x 280 x 4 mm thick
- Product 280 x 280 x 94 mm
- Capacitive touches control panel
- 3 touches and 12 levels of power
- Power supply 220 240V single-phase / 50-60Hz
- Supplied with silicone seal for drop-in
- Options: Interconnection cable to connect up to 2 products

IE F-DIR 1000ADV1835





BUFFET Drop-in



Product cut-out dimensions 352 x 352mm

• 650W · Glass dimensions 340 x 340 mm

GL 650 DI | Built-in induction buffet with integrated control

- Integrated capacitive touches control panel 3 keys
- Power level setting (9 power levels)
- · Power supply 220-240V single-phase / 50-60Hz
- Including 1m80 power cable

GL 650 DI



Product cut-out dimensions 352 x 352mm Control panel cut-out dimensions 198 x 68mm

GL 650 DIR | Built-in induction buffet with remote control

- · Glass dimensions 340 x 340 mm
- Remote capacitive touches control panel 3 keys
- · Power level setting (9 power levels)
- Power supply 220-240V single-phase / 50-60Hz
- Including 1m80 power cable

GL 650 DIR

BUFFET Flushed



Product cut-out dimensions 346 x 346mm

GL 650 FL | Flushed induction buffet with integrated control

- · Glass dimensions 340 x 340 mm
- Integrated capacitive touches control panel 3 keys
- · Power level setting (9 power levels)
- Power supply 220-240V single-phase / 50-60Hz
- Including 1m80 power cable

GL 650 FL




Product cut-out dimensions 346 x 346mm Control panel cut-out dimensions 198 x 68mm

GL 650 FLR | Flushed induction buffet with remote control

- 650W
- · Glass dimensions 340 x 340 mm
- Remote capacitive touches control panel 3 keys
- · Power level setting (9 power levels)
- Power supply 220-240V single-phase / 50-60Hz
- Including 1m80 power cable

GL 650 FLR





BUFFET Countertop



INDUC-ELEGANCE | Countertop induction buffet 1 zone

- 1000V
- Vitroceramic dimensions 390 x 390 x 4 mm thick
- Capacitive touches control panel 3 keys and 12 power levels
- Power supply 220-240V single-phase / 50-60Hz
- Option interconnection cable which permits to connect up to 2 products for 1000W version
- 4 standard models, customize version upon request

IE 1000 C-B ADV1852









INDUC-ELEGANCE | Countertop induction buffet 2 zones

- 2 x 300W
- Vitroceramic dimensions 620 x 390 x 4 mm thck
- Capacitive touches control panel 3 keys and 12 power levels
- Power supply 220-240V single-phase / 50-60Hz
- No interconnection possible
- 4 standard models, customize version upon request

IE2 600 CB ADV1843







HOT PLATE | Countertop buffet with electronic regulation

- 1000W
- Cooking surface 560 x 330 mm
- Capacitive touches control panel 3 keys
- Electronic regulation Power level setting from 1 to 12 levels
- Power supply 220-240V single-phase / 50-60Hz
- · Power cable included
- Available in other colors (see IE2 p19)
- Available in flushed version ADV2122

Hot Plate B-B Hot Plate S-S Hot Plate B-S Hot Plate C-B

The concept of 'Hot Plate'

The Adventys Hot Plate is the ideal solution to complement our Buffet Range, providing optimal warming for various containers of all sizes. Thanks to its ability to maintain multiple dishes at the perfect serving temperature simultaneously, it ensures your guests enjoy warm and delicious meals at all times. With its sleek design inspired by the Induc-Elegance range, it brings a modern and sophisticated touch to hotel buffets and reception halls. Available in a variety of colors, it seamlessly adapts to your ambiance and style, delivering a buffet experience that combines aesthetics and performance.





EggStation | Buffet cooking station

- 2x 1500W
- Cooking surface 620 x 390 mm
- Double capacitive touches control panel 3 keys
- Power level setting from 1 to 15 levels.
- Power supply 220-240V single-phase / 50-60Hz
- · Power cable included
- Standard version 3x GN 1/6
- GN containers no included

Eggstation black ADV2087 **Eggstation stainless steel** ADV2117

The concept of Eggstation

The Eggstation is an innovative culinary station designed to **enhance hotel buffets**. Equipped with two high-performance induction cooking zones and modular gastronorm containers, it allows chefs to **prepare a variety of dishes**—omelets, pancakes, pasta—right in front of guests. Its sleek, customizable design makes it a decorative centerpiece, while intuitive controls ensure ease of use. The Eggstation reduces wait times and elevates the guest experience.



